



Gyproc® Habito®

Habito®
for better walls



+ 4 screws
+ 5 minutes
= 120 kg FIXED

Gyproc® Habito®

Practical space saving family solutions for your home.

Everybody wants to feel good at home.

People who want to stay in the same home for many years, need innovative building solutions to be able to change the design of their rooms whenever they want.

Habito – New wall solutions for lifetime lasting homes.

Habito is engineered to support the way you live. The secret of its effectiveness lies in its innovative board technology which provides a considerably enhanced performance compared with standard plasterboard. Habito gives homeowners the freedom to make walls their own, installing or removing fixing depending on their own needs.



**FIXING
CAPABILITY**



ROBUSTNESS




**SOUND
INSULATION**



**INSPIRING
SPACES**



**ENVIRONMENTALLY
FRIENDLY**



Habito - Strong and durable partitions

It's inevitable that the walls in your home will get knocked, whether it's the kids playing, furniture being moved or just simple wear and tear.

Our Habito enhanced walls offer a superior resistance to these everyday bangs and are also reassuringly solid.



Habito – interior partitions for your rooms

- ① **GypWall® CLASSIC** - Partition with single layer of HABITO board each side with insulation
- ② **GypWall® ROBUST** - Partition with double layer of HABITO & FireStop board each side with insulation
- ③ **GypWall® QUIET for dry area** - Partition with double layer of HABITO & FireStop board each side with insulation
- ④ **GypWall® QUIET for wet area** - Partition with double layer of HABITO & Glasroc H OCEAN board each side with insulation

Technical Information

Gyproc® Habito®

- Thickness : 12.5 mm
- Edge Type : Recessed Edge (RE) 
- Size : 1,200 x 2,400 mm
- Weight : 35 kg/board

Certified Standards

- BS EN 520
- ASTM C1396 / C1396M-13

Fire Protection

- Non-flammable material under BS 476 Part 7:1997
- Fire resistance under BS 476 Part 22 Class 1

Environmentally friendly


- Recyclable
- Non-toxic and non-hazardous

Gyproc® Habito®

GypWall® CLASSIC

Plaster Board: Gyproc® Habito® 12.5 mm
 Profile: 62S50 and 64T50 Single Frame
 Stud centre: 600 mm
 Insulation: Thickness 50 mm with Destiny 40 kg/m³
 Partition Wall Thickness: 89 mm
 Fire Resistance: 30 mins
 Sound Insulation: STC 44 dB
 Maximum Height: 3100 mm


Partition with single layer of Habito board each side with insulation



GypWall® ROBUST

Plaster Board: Gyproc® Habito® 12.5 mm & Gyproc® FireStop 13 mm
 Profile: 49S50 and 51T50 Single Frame
 Stud centre: 600 mm
 Insulation: Thickness 50 mm with Destiny 40 kg/m³
 Partition Wall Thickness: 102 mm
 Fire Resistance: 120 mins
 Sound Insulation: STC 55 dB
 Maximum Height: 3400 mm
 Duty Rating: Severe


Partition with double layer of Habito & FireStop board each side with insulation



GypWall® QUIET for dry area

Plaster Board: Gyproc® Habito® 12.5 mm & Gyproc® FireStop 13 mm
 Profile: 49S50 and 51T50 Twin Frame
 Stud centre: 600 mm
 Insulation: Thickness 50 mm with Destiny 24 kg/m³
 Partition Wall Thickness: 180 mm
 Fire Resistance: 120 mins
 Sound Insulation: STC 65 dB
 Maximum Height: 7900 mm
 Duty Rating: Severe


Partition with double layer of Habito & FireStop board each side with insulation




GypWall® QUIET for wet area

Plaster Board: Gyproc® Glasroc H OCEAN 12.5 mm & Gyproc® Habito® 12.5 mm
 Profile: 49S50 and 51T50 Twin Frame
 Stud centre: 400 mm
 Insulation: Thickness 50 mm with Destiny 24 kg/m³
 Partition Wall Thickness: 180 mm
 Fire Resistance: 60 mins
 Sound Insulation: STC 65 dB
 Maximum Height: 7999 mm
 Duty Rating: Severe

Partition with double layer of Habito and Glasroc H OCEAN with insulation



Gyproc® Habito® System



| | | | | | | | | | | | | | | |
|-----------------|---|------------|---|-----------|---|--------------------------|---|--|---|-----------------------|---|---------------------|---|----------------|
| Gyproc® Habito® | + | Insulation | + | GypFrame™ | + | Gyproc® Jointing Plaster | + | Gyproc® Cornerbead for edge protection | + | Gyproc® HartFix Screw | + | Gyproc® Cotton Tape | = | Habito® System |
|-----------------|---|------------|---|-----------|---|--------------------------|---|--|---|-----------------------|---|---------------------|---|----------------|

Gyproc® Habito®

Screw it! Fix it! Ready to use!

The strong surface of our Habito enables you to fix shelves, curtain poles and TV, without the need for drills or specialist fixings. You can simply screw directly into the wall surface, making DIY easy and giving you more freedom to have your home just the way you want it.

Habito is a radically different plasterboard. Habito allows you to fix up to 30 kg directly to your wall using only a standard wood screw. It is also extremely durable and damage resistant compared to standard walls.

A no. 10 woodscrew (5x50 mm) will provide a safe working load (SWL) of up to 30kg per fixing.

We recommend that you follow the manufacturer's guidance as to the number of fixtures required to mount a fixture. Example: If a TV weighs 30kg with its bracket and the bracket accepts four fixings, you should use four screws, even though this provides 120kg safe working load.



Fixings / fixtures should not be made into damaged areas.



1 Kitchen Cabinet
+ 4 screws
+ 5 minutes work
= 120 kg FIXED



Written enquiries should be addressed to:
Thai Gypsum Products Pcl.
Gypsum Metropolitan Tower
539/2 Si Ayutthaya Road,
Ratchathewi, Bangkok 10400
Thailand
Tel: +66 2 640-8600

Technical Support
Tel: +66 2 640-8787
TBOC.GYPROCTHAILAND@SAINT-GOBAIN.COM

 **World Home Depot**
CORPORATION

 www.worldhomedepot.com  [WorldHomeDepotCorporation](https://www.facebook.com/WorldHomeDepotCorporation)

MAIN OFFICE

20 Fortune Avenue, corner Santan Street
Brgy. Fortune, Marikina City, PH 1809
Phone: (632) 87901000
Email: info@worldhomedepot.com

DAVAO OFFICE

Unit 1&2 Tristar Warehouse, KM11 Brgy.
Communal Diversion Rd., Davao City, PH 8000
Phone: (082) 2340911 to 14
Email: info.davao@worldhomedepot.com