

KNAUF

STANDARDSHIELD

Lightweight Gypsum Technology



STANDARD SHIELD

Lightweight technology : easier to transport , handle and install

General Information

- > Naturally heat & fire resistant.
- > Environmentally friendly
- > Non hazardous

KNAUF StandardShield

Designed and manufactured with state of the art technology from Germany for internal walls and ceilings. StandardShield provides walls and ceilings which are easy to install.

Instructions for Use

KNAUF StandardShield should be installed using ceiling and wall metal frame systems in order to achieve highest performance.

Product Information

Thickness (mm)	Width (mm)	Length (mm)	Weight (kg/m ²)	Edge*
9	1220	2440	5.8	TE,SE
12	1220	2440	7.7	TE,SE
16	1220	2440	10.4	TE,SE

Installation Method for best results, install with wall and ceiling systems.

*Edge type TE = Tapered Edge, SE = Square Edge

Specification


KNAUF StandardShield Board*

Edge Type

- > Tapered Edge
- > Square Edge

Board Dimensions

- > 9 x 1220 x 2440 mm
- > 12 x 1220 x 2440 mm
- > 16 x 1220 x 2440 mm



KNAUF StandardShield



KNAUF PHILIPPINES



KNAUF OFFICE

Knauf Gypsum Philippines, Inc.
9th Floor Marajo Tower
26th st. cor. 4th Ave. Bonifacio Global City,
Taguig City 1634, Philippines

Tel: (02) 8878 0048



KNAUF FACTORY

Knauf Gypsum Philippines, Inc.
Km. 1 1 7 National Highway, Calaca
Industrial Seaport Corp., Brgy. Lumbang
Calzada Caloca, Batangas 4212



KNAUF DIGITAL

Email:
marketingknaufgypsumphilippines@knauf.com
Facebook: Knauf Philippines
www.facebook.com/KnaufGypsumPH/



SCAN & EMAIL ME