

CATALOGUE Siemens DELTA relfa 120 series

Edition 2021/22

SIEMENS

Siemens electrical switches and sockets Combining the perfect



Siemens' electrical switches and sockets combine the ideal range of designs from the choice of blends to the use of premium, environmentally responsible materials, making them safe, attractive, and responsive to all. electrical switches and sockets combining the perfect variety of designs from the selection of blends to the use of high quality materials that is environmentally friendly, so it is safe, beautiful and response to all.

DELTA relfa generates a design dimension that can be used to support a wide range of vertical and horizontal applications, such as tiny and large button switches. Single and double outlets, safety blinds, dimmer switches, sockets, televisions, phones, and laptops with covers are all available. The material has been tested and approved to meet industrial product

standards, is reliable, secure, and simple to install (TIS)





QR Code สวติ ชห์ รื่

ช์ฟRELFA 120



QR Code เต์ุ**₅**ับไฟฟ

RELFA



QR Code สวติ

ไฟฟ � REL#A120






A variety of color schemes for **DELTA relfa** are available to match the surface. White, silver, and dark gray are the three color tones you should use for the desired room's wall.



The material is made of high-quality polycarbonate and is non-flammable, impact-resistant, and simple to install. Electromagnetic EMC Protection includes two USB Charger Type A, 2.1 A, 1M plug sockets, and a USB Charger Type A+ Type C combo socket that passed the compatibility test. There are


numerous questions.The industrial product standard was approved (TIS)

	10AX 1M 1 Way Switch	5TA2211-1PC11 5TA2211-1PC12 5TA2211-1PC13	
	10AX 1.5M 1 Way Switch	5TA2211-2PC11 5TA2211-2PC12 5TA2211-2PC13	
	10AX 3M 1 Way Switch	5TA2211-3PC11 5TA2211-3PC12 5TA2211-3PC13	
	10AX 1M 2 Way Switch	5TA2213-1PC11 5TA2213-1PC12 5TA2213-1PC13	
	10AX 1.5M 2 Way Switch	5TA2213-2PC11 5TA2213-2PC12 5TA2213-2PC13	
and the second	10AX 3M 2 Way Switch	5TA2213-3PC11 5TA2213-3PC12 5TA2213-3PC13	
	1M Intermediate Switch 24mm	5TA2217-1PC11 5TA2217-1PC12 5TA2217-1PC13	
	10A Doorbell Switch	5TD2211-1PC11 5TD2211-1PC12 5TD2211-1PC13	
	Door Chime 220-240	5TD1351-3PC01	



10A 1M 2 Pin Socket (+Shutter)	5UB2215-1PC11 5UB2215-1PC12 5UB2215-1PC13		
16A 1M 2 Pin Socket (+Shutter)	5UB2225-1PC11 5UB2225-1PC12 5UB2225-1PC13		
1M 2 Pin US Flat Socket (+Shutter)	5UB2218-1PC11 5UB2218-1PC12 5UB2218-1PC13		
1M 3 Pin US Socket (+Shutter)	5UB2238-1PC11 5UB2238-1PC12 5UB2238-1PC13		
13A 2M International Socket (+Shutter)	5UB2281-2PC11 5UB2281-2PC12 5UB2281-2PC13		N
20A 2M 3 Pin American Socket	5UB2247-2PC11 5UB2247-2PC12 5UB2247-2PC13		
	16A 1M 2 Pin Socket (+Shutter) 1M 2 Pin US Flat Socket (+Shutter) 1M 3 Pin US Socket (+Shutter) 13A 2M International Socket (+Shutter)	10A 1M 2 Pin Socket (+Shutter) 5UB2215-1PC13 16A 1M 2 Pin Socket (+Shutter) 5UB2225-1PC11 5UB2225-1PC13 1M 2 Pin US Flat Socket (+Shutter) 5UB2218-1PC11 5UB2218-1PC13 1M 3 Pin US Socket (+Shutter) 5UB2238-1PC11 5UB2238-1PC12 5UB2238-1PC13 13A 2M International Socket 5UB2281-2PC12 5UB2281-2PC12 5UB2281-2PC13	10A 1M 2 Pin Socket (+Shutter) 5UB2215-1PC13 16A 1M 2 Pin Socket (+Shutter) 5UB2225-1PC13 1M 2 Pin US Flat Socket (+Shutter) 5UB2218-1PC11 5UB2218-1PC11 5UB2218-1PC12 5UB2218-1PC13 1M 3 Pin US Socket (+Shutter) 5UB2238-1PC11 5UB2238-1PC13 13A 2M International Socket (+Shutter) 5UB2281-2PC13 13A 2M International Socket (+Shutter) 5UB2281-2PC13 20A 2M 3 Pin American Socket 5UB2247-2PC11 5UB2247-2PC12

WIRING



1M Plate + frame	5UH2221-1PC11 5UH2221-1PC12 5UH2221-1PC13	
2M Plate + frame	5UH2221-2PC11 5UH2221-2PC12 5UH2221-2PC13	
3M Plate + frame	5UH2221-3PC11 5UH2221-3PC12 5UH2221-3PC13	
1M + 1M Plate + frame	5UH2222-1PC11 5UH2222-1PC12 5UH2222-1PC13	
4 x 1 M double plate + frame	5UH2222-4PC11 5UH2222-4PC12 5UH2222-4PC13	
2 x 3 M double plate + frame	5UH2222-6PC11 5UH2222-6PC12 5UH2222-6PC13	
1M Blank Plate	5UH2251-1PC11 5UH2251-1PC12 5UH2251-1PC13	
Full Blank Plate	5UH2223-3PC11 5UH2223-3PC12 5UH2223-3PC13	
IP 55 Weatherproof Cover	5UH2252-3PC01	





DELTA® relfa







Mix to suit each need in your style

Subject to change and errors.

The information given in this document only contains general descriptions and/or performance feature which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contact.

© Siemens 2021



